



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Byron J. Slater; Saieb Alrawi

Examiner: Not Assigned

Serial No.: 09/748,720

Atty. Dkt. No.: 00P9121US

Filed: December 26, 2000

Group Art No.: Not Assigned

Title: Excessive Surge Protection Method
And Apparatus

Certificate of Mailing Pursuant to 37 CFR § 1.8

I hereby certify that this correspondence is being deposited
with the United States Postal Service on the date indicated
below as first class mail in an envelope addressed to: The
Assistant Commissioner for Patents, Washington, DC 20231

7/16/01
Date

Linda L. Kaucher

Assistant Commissioner for Patents
Washington, DC 20231

PETITION AND FEE FOR EXTENSION OF TIME
SUBMITTED PURSUANT TO 37 CFR 1.136(a)

Sir:

On February 16, 2001, a Notice to File Missing Parts of Application was issued in the above-referenced application, setting a two-month shortened statutory period for response.

This is a petition for a **three-month** extension of time pursuant to 37 CFR § 1.136(a).

Please charge to **Deposit Account No. 19-2179, \$890.00** in accordance with CFR § 1.17(a).

If this petition is for an incorrect time period or if the above balance due is incorrect, please treat this paper as a petition for the appropriate period and fee and charge/credit any fee deficiencies/overpayments to **Deposit Account No. 19-2179**. An extra copy of this paper is enclosed.

07/23/2001 KZEWDIE 00000070 192179 09748720

05 FC:117 890.00 CH

Date:

7/16/01

Respectfully submitted,

Michael J. Wallace
Reg. No. 44,486

Siemens Corporation
Intellectual Property Department
186 Wood Avenue South
Iselin, NJ 08830
(732) 321-3008